







ANSI/IES TM-30-18 Color Rendition Report

Source: Marvin Kuhn

Date: 22.09.24

Manufacturer: HOBOLITE

Model: AVANT MAX



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.

x 0.4646

y 0.4278

u' 0.2579

v' 0.5344

CIE 13.3-1995
(CRI)

R_a 97

R_g 94







ANSI/IES TM-30-18 Color Rendition Report

Source: Marvin Kuhn

Date: 22.09.24

Manufacturer: HOBOLITE

Model: AVANT MAX



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.

x 0.4231
y 0.4027
u' 0.2422
v' 0.5188

CIE 13.3-1995
(CRI)
 R_a 97
 R_g 93







ANSI/IES TM-30-18 Color Rendition Report

Source: Marvin Kuhn

Date: 22.09.24

Manufacturer: HOBOLITE

Model: AVANT MAX



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.

x 0.3238

y 0.3419

u' 0.2006

v' 0.4767

CIE 13.3-1995
(CRI)

R_a 98

R_g 93







ANSI/IES TM-30-18 Color Rendition Report

Source: Marvin Kuhn

Date: 22.09.24

Manufacturer: HOBOLITE

Model: AVANT MAX



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.

x 0.3060

y 0.3305

u' 0.1927

v' 0.4681

CIE 13.3-1995
(CRI)

R_a 98

R_g 95