



Tiefste CCT

Brand	Godox ML100B BDR-W55 with diffusor
Lux	3398.29
CCT	2826.00
DUV	0.0015
CRI	98.00
CRI (Full)	96.27
TM-30 Rr	96.00
TM-30 Rg	101.00




3200k

Lux	3718.26
CCT	3259.00
DUV	-0.0027
CRI	97.70
CRI (Full)	96.93
TM-30 Rr	93.00
TM-30 Rg	104.00
SSI	82.00



5500K

Lux	4287.93
CCT	5705.00
DUV	-0.0027
CRI	95.70
CRI (Full)	94.47
TM-30 Rr	93.00
TM-30 Rg	104.00
SSI	73.00



6500K

Lux	4202.41
CCT	6785.00
DUV	0.0005
CRI	94.60
CRI (Full)	92.93
TM-30 Rr	93.00
TM-30 Rg	102.00







Tabelle 1

Farbtemperatur Eingestellt	Farbtemperatur gemessen	MK-1	Duv	CRI Ra	R9	CRI Re	TM30 Rf	TM30 Rg	SSI	LUX ohne Reflektor 100%	LUX 10% Leistung	LUX mit Reflektor	LUX eigentlicher % Wert bei 10% Leistung	LUX standardabweichung bei verschiedenen CCT
P3200	3259.00	5.66	-0.0027	97.70	97.00	96.93	95.00	103.00	82.00	3718.26	510.37	1528.17	13.73%	307.20
D55	5705.00	6.53	-0.0027	95.70	96.00	94.47	93.00	104.00	73.00	4287.93	578.56		13.49%	
D65	6785.00	6.46	0.0005	94.60	91.00	92.93	93.00	102.00	69.00	4202.41				