







ANSI/IES TM-30-18 Color Rendition Report

Source: Marvin Kuhn

Date: 22.12.24

Manufacturer: Godox

Model: TL60



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.

x 0.4618

y 0.4131

u' 0.2626

v' 0.5286

CIE 13.3-1995
(CRI)

R_a 96

R_g 98







ANSI/IES TM-30-18 Color Rendition Report

Source: Marvin Kuhn

Date: 22.12.24

Manufacturer: Godox

Model: TL60



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.

x 0.4196

y 0.3889

u' 0.2458

v' 0.5127

CIE 13.3-1995
(CRI)

R_a 94

R_g 86







ANSI/IES TM-30-18 Color Rendition Report

Source: Marvin Kuhn

Date: 22.12.24

Manufacturer: Godox

Model: TL60



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.

x 0.3297

y 0.3387

u' 0.2059

v' 0.4759

CIE 13.3-1995
(CRI)

R_a 96

R_g 86







ANSI/IES TM-30-18 Color Rendition Report

Source: Marvin Kuhn

Date: 22.12.24

Manufacturer: Godox

Model: TL60



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.

x 0.3089

y 0.3273

u' 0.1958

v' 0.4668

CIE 13.3-1995
(CRI)

R_a 98

R_g 97